



TOWN OF WESTFORD Highway Department

RICHARD J. BARRETT, JR.
HIGHWAY SUPERINTENDENT

2015 HIGHWAY DEPARTMENT MATERIALS/SERVICES 2015-HWY-001 BID ITEM BITUMINOUS CONCRETE – IN PLACE

ADDENDUM #1 May 8, 2015

Please note that you must acknowledge receipt of said addendum by noting as such on the space provided on page 2 of the Bid Form. Without proper acknowledgment your bid may be deemed ineligible.

Additionally, please fax an acknowledgement of receipt to (978) 399-2726 as soon as you receive this addendum to confirm receipt or send a confirmation email to mblane@westfordma.gov.

To Prospective Bidders and others, please add the following specifications to the Bid Documents:

BITUMINOUS CONCRETE – IN PLACE (Item 1)

Scope of Work

- The selected Contractor shall have the capability of placing a monolithic, modified Cape Cod berm as part of the paving operation. A berm attachment mounted directly to the paver shall be used to place the monolithic berm. No other method shall be permitted. The Westford Highway Superintendent, at his discretion and direction, shall specify the locations where berm will be required. All work and costs associated with the berm shall be included in the unit price for the Type I-1 Bituminous Concrete In Place (Machine) bid item. There shall be no additional compensation or separate pay item(s) for this work.
- Tack coat shall be applied by a distributor truck with a spray bar capable of uniformly applying the necessary tack in accordance with MassDOT specifications.
- All equipment shall be properly calibrated and in good working condition.

Please contact the Westford Highway Department at 978-692-5520 with any questions.